

L Number	Hits	Search Text	DB	Time stamp
1	22	710/100.ccls. and @ad<19991229 and @pd>20030714	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 07:32
2	18	711/105.ccls. and @ad<19991229 and @pd>20030714	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 07:28
3	1	326/30.ccls. and @ad<19991229 and @pd>20030714	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 07:29
4	0	710/118.ccls. and @ad<19991229 and @pd>20030714	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 07:32
-	2236	(memory with controller with multiplex\$1r) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:17
-	600	("memory controller" with multiplex\$1r) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:20
-	251	("memory controller" near3 multiplex\$1r) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:43
-	0	("memory controller" near3 multiplex\$1r near3 gate) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:44
-	2	("memory controller" with (multiplex\$1r near3 gate)) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:52
-	18	("memory controller" same (multiplex\$1r near3 gate)) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:54
-	2172	(multiplex\$1r with transistor) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:56
-	13	("memory controller" same (multiplex\$1r with transistor)) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:55
-	88	(controller same (multiplex\$1r with transistor)) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:56
-	611	(multiplex\$1r with transistor with gate) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:01

-	19	((read read\$1control) adj signal) same ((column column\$1cycle) adj signal)) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:35
-	1394	(multiplex\$1r adj switch) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 07:19
-	28	(multiplex\$1r adj switch with transistor) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:23
-	82	(multiplex\$1r near3 transistor near3 gate) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:59
-	664	horowitz.in. and @ad<20000227	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:06
-	41	(horowitz-mark farmwald-michael).in. and @ad<20000227	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:51
-	10	("deactivate second transistor") and @ad<20000227	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 11:26
-	4	("6266252" "6526473").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 10:48
-	120	((read adj2 signal) with calibration) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 13:51
-	0	((column\$7signal with read\$9signal with multiplex\$1r)) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 13:52
-	467	((column with read with multiplex\$1r)) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 13:52
-	0	((column with read with multiplex\$1r with "clock enable")) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 13:52
-	59	((column with read with multiplex\$1r with clock)) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:06
-	4	(temperature with adjust\$3 with "slew rate") and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:12

-	282	(current with adjust\$3 with "signal level") and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:12
-	22	("output current" with adjust\$3 with "signal level") and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:50
-	0	((("read\$9signal" same simultaneous\$2 same (output with driver))) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:08
-	0	((("read\$9signal" same simultaneous\$2)) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:08
-	0	((("read\$9signal"))) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 13:08
-	41	((("read signal" "read control signal")same simultaneous\$2 same (output with driver)) and @ad<19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:29